

## Manitoba Childhood Immunization Tariff Codes - 1987 to 1999

The following list of tariff codes has been used at MCHP to search for immunizations from 1987 up to 1999.

*Note: Validity beyond these years should be verified by checking for code additions/deletions before any runs outside this time period are attempted.*

### DPT

TARIFF CODES	DOSE	DESCRIPTION
8601, 8602, 8603, 8609	DPT	Diphtheria, pertussis, tetanus
<b>In 1992 the above codes were replaced with the following series, which adds the HiB component:</b>		
8781, 8782, 8783, 8789	DPT/HiB	Diphtheria, pertussis, tetanus, HiB
<b>In 1997 these codes were replaced with the following series:</b>		
8802, 8804, 8806, 8807	DaPTP/HiB	Diphtheria, pertussis, tetanus, inactivated polio virus(IPV), HiB
<b>A small proportion of doses come from other combinations of vaccines:</b>		
8641, 8642, 8643, 8649	DT	Diphtheria, tetanus (for those who cannot receive pertussis vaccine)
8921, 8922, 8923, 8929	DPTP	Diphtheria, pertussis, tetanus, IPV
8798	DTP	Diphtheria, tetanus, IPV, for children under 7 years (for those who cannot receive pertussis vaccine)
8805	TdP	Tetanus, diphtheria, IPV, for children over 7 years. Code is not for infants, but is found in a very small number of cases.
8924	DaPTP	Diphtheria, acellular pertussis, tetanus, IPV

For children born in the first half of 1998, the frequency of each tariff code up to June 1999 was distributed as follows:

Tariff codes	Frequency
8802, 8804, 8806, 8807	99.2%
8781, 8782, 8783, 8789	0.3%
8921, 8922, 8923, 8929	0.1%
8924	0.1%
8601, 8602, 8603, 8609	0.1%
8798	0.1%
8641, 8642, 8643, 8649	<0.1%
8805	<0.1%

## Manitoba Childhood Immunization Tariff Codes - 1987 to 1999

### Polio

TARIFF CODES	DOSE	DESCRIPTION
8611,8612,8613,8619	OPV	Oral polio virus
8931,8932,8933,8939	IPV	Inactivated polio virus
Both OPV and IPV are licensed for use, but currently only IPV is recommended for routine immunization in Canada. OPV almost completely stopped being used for kids born 1998 and on.		
8802, 8804, 8806, 8807	DaPTP/HiB	Diphtheria, pertussis, tetanus, inactivated polio virus(IPV), HiB
8921, 8922, 8923, 8929	DPTP	Diphtheria, pertussis, tetanus, IPV
8798	DTP	Diphtheria, tetanus, IPV, for children under 7 years (for those who cannot receive pertussis vaccine)
8805	TdP	Tetanus, diphtheria, IPV, for children over 7 years. Code is not for infants, but is found in a very small number of cases.
8924	DaPTP	Diphtheria, acellular pertussis, tetanus, IPV

For children born in the first half of 1998, the frequency of each tariff code up to June 1999 was distributed as follows:

Tariff codes	Frequency
8802, 8804, 8806, 8807	99.6%
8611, 8612, 8613, 8619	0.2%
8924	0.2%
8798	0.1%
8931, 8932, 8933, 8939	<0.1%
8805	<0.1%

### HiB

HiB was introduced in 1992. For purposes of calculating completion rates of immunization, anyone born after May 1, 1992 requires the recommended number of HiB doses to be considered complete.

TARIFF CODES	DOSE	DESCRIPTION
8781, 8782, 8783, 8789	DPT/HiB	Diphtheria, pertussis, tetanus, HiB
8802, 8804, 8806, 8807	DaPTP/HiB	Diphtheria, pertussis, tetanus, inactivated polio virus(IPV), HiB
8901, 8902, 8903, 8909	HiB	Hemophilus influenza B

## Manitoba Childhood Immunization Tariff Codes - 1987 to 1999

---

For children born in the first half of 1998, the frequency of each tariff code up to June 1999 was distributed as follows:

Tariff codes	Frequency
8802, 8804, 8806, 8807	99.4%
8781, 8782, 8783, 8789	0.4%
8901, 8902, 8903, 8909	0.2%

### MMR

TARIFF CODES	DOSE	DESCRIPTION
8670	MMR	Measles, mumps, rubella
8621	Measles	Measles

For children born in the first half of 1998, the frequency of each tariff code up to June 1999 was distributed as follows:

Tariff codes	Frequency
8670	100%
8621	0.0%

**Source:** Information for this document came from a review of tariff codes by MCHP staff and the following publication.

Martens PJ, Fransoo R, The Need to Know Team, Burland E, Jebamani L, Burchill C, Black C, Dik N, MacWilliam L, Derksen S, Walld R, Steinbach C, Dahl M. *The Manitoba RHA Indicators Atlas: Population-Based Comparison of Health and Health Care Use*. Winnipeg, MB: Manitoba Centre for Health Policy, 2003.