

Manitoba Child Health Atlas 2004

July 2004




Manitoba Centre for Health Policy
Department of Community Health Sciences
Faculty of Medicine, University of Manitoba

The entire report is available on this WWW site:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities

Health Indicators: Antidepressant Prescription Rate by Region


The rates of children aged 5 to 19 years with at least one prescription for antidepressants are given only for RHAs and Winnipeg CAs. North Eastman, Interlake, Nor-Man and Burntwood RHAs had antidepressant prescription rates that were significantly lower than the provincial average, while Brandon and Winnipeg had significantly higher rates. (Keep in mind that it may be that not all prescriptions are captured for residents receiving medications from nursing stations, particularly in the north.) Assiniboine South and River Heights had significantly higher rates of antidepressant prescriptions than the provincial average; the rate for River Heights children was also significantly higher than the Winnipeg average. Inkster had antidepressant prescription rates that were significantly lower than both the provincial and the Winnipeg average.

**Rate of Children Aged 5-19 Year with One or More Antidepressant Prescriptions
by Manitoba RHA, 2001/02**



'1' indicates rate significantly different from the Manitoba mean
's' indicates data suppressed due to small numbers

**Rate of Children Aged 5-19 Year with One or More Antidepressant Prescriptions
by Winnipeg CA, 2001/02**



These definitions can be found in the Child Health Atlas Glossary:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities/glossary.shtml

[Drug Categories for Prescription Use Analysis](#)

[Regional Health Authority \(RHA\)](#)

[Winnipeg Community Area \(CA\)](#)

[Socioeconomic Status \(SES\)](#)