

Manitoba Child Health Atlas 2004

July 2004




Manitoba Centre for Health Policy
Department of Community Health Sciences
Faculty of Medicine, University of Manitoba

The entire report is available on this WWW site:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities

Health Indicators: Injury Hospitalization Rate by Mother's Age

Injury hospitalization rates vary by the age of the child's mother when she had her first child. Children whose mothers were adolescents when they started having children have higher injury hospitalization rates than children whose mothers were older when they started having children. This relationship holds regardless of the age of the child: even for 18- to 19-year-olds - if their mother was a young teen (less than 18 years) when they were born, they are over twice as likely to be hospitalized for injuries as those whose mothers were 20-24 years old when they started having children.

Inpatient Injury Hospitalization Rates for Children 0 to 19 Years, by Age Category and by Age of Mother At Birth of First Child, 2000/01-2001/02



These definitions can be found in the Child Health Atlas Glossary:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities/glossary.shtml

[Injury Hospitalizations](#)

[Regional Health Authority \(RHA\)](#)

[Regional Health Authority \(RHA\) District](#)

[Winnipeg Community Area \(CA\)](#)

[Neighbourhood Cluster \(NC\)](#)

[Socioeconomic Status \(SES\)](#)