

Manitoba Child Health Atlas 2004

July 2004




Manitoba Centre for Health Policy
Department of Community Health Sciences
Faculty of Medicine, University of Manitoba

The entire report is available on this WWW site:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities


Health Indicators: Injury Hospitalization Rate by SES Group

Injury hospitalization rates are strongly related to socioeconomic status, with children from lower SES areas having much higher injury hospitalization rates than children from higher SES areas. This relationship is particularly strong for children living in non-Winnipeg areas. For Winnipeg children, the injury hospitalization rate for the Low SES areas was almost two times higher than the Low-Mid SES areas and 2.3 times higher than the High SES areas. For non-Winnipeg children, the injury hospitalization rates for the Low SES areas was over two times higher than the Low-Mid SES areas and almost five times higher than the High SES areas.

**Inpatient Injury Hospitalization Rates
for Children Aged 0 - 19 Years
by Winnipeg SES Group,
1997/98 - 2001/02**



**Inpatient Injury Hospitalization Rates
for Children Aged 0 - 19 Years
by Non-Winnipeg SES Group,
1997/98 - 2001/02**



These definitions can be found in the Child Health Atlas Glossary:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities/glossary.shtml

[Injury Hospitalizations](#)

[Socioeconomic Status \(SES\)](#)