

Manitoba Child Health Atlas 2004

July 2004




Manitoba Centre for Health Policy
Department of Community Health Sciences
Faculty of Medicine, University of Manitoba

The entire report is available on this WWW site:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities

Health Indicators: Injury Mortality Rate by Region


Deaths due to injury are shown by RHA and Winnipeg CA and are given per 10,000 population. North Eastman, Nor-Man and Burntwood had significantly higher injury mortality rates than the provincial average. Note when looking at the graphs the higher rates for RHAs compared to Winnipeg CAs. None of the Winnipeg CAs had higher rates for injury mortality than the provincial average, however both Downtown and Point Douglas had significantly higher rates than the Winnipeg average.

Injury Mortality Rates for Children Aged 1-19 Years by Manitoba RHA, 1997-2001



'1' indicates rate significantly different from the Manitoba mean
's' indicates data suppressed due to small numbers

**Injury Mortality Rates for Children Aged 1-19 Years
by Winnipeg CA, 1997-2001**



'1' indicates rate significantly different from the Manitoba mean

'2' indicates rate significantly different from the Winnipeg mean

's' indicates data suppressed due to small numbers

These definitions can be found in the Child Health Atlas Glossary:
http://www.umanitoba.ca/centres/mchp/reports/child_inequalities/glossary.shtml

[Injury Mortality](#)

[Regional Health Authority \(RHA\)](#)

[Winnipeg Community Area \(CA\)](#)

[Socioeconomic Status \(SES\)](#)