

# Manitoba Child Health Atlas 2004

December 2004



## **Manitoba Centre for Health Policy**

Department of Community Health Sciences

Faculty of Medicine, University of Manitoba


The entire report is available on this WWW site:

[http://www.umanitoba.ca/centres/mchp/reports/child\\_inequalities](http://www.umanitoba.ca/centres/mchp/reports/child_inequalities)


## **Genetics Indicators: Triple Test by Region**

These graphs show that for women giving birth in Manitoba, the rates of receiving the "Triple Test" maternal serum screen during pregnancy varied among regions, most notably in non-Winnipeg regions. South Eastman and Central RHAs had the lowest rates, whereas Brandon and Interlake had the highest rates outside Winnipeg. All Winnipeg NCs except Point Douglas South had rates higher than the Manitoba average in 2001/02.


**Rate of Women Giving Birth who had Triple Test Performed During Pregnancy,  
by Manitoba RHA, 2000/01 - 01/02**




# **Rate of Women Giving Birth who had Triple Test Performed During Pregnancy, by RHA District, 2000/01 - 2001/02**



**Rate of Women Giving Birth who had Triple Test Performed During Pregnancy,  
by Winnipeg CA, 2000/01 - 2001/02**



# **Rate of Women Giving Birth who had Triple Test Performed During Pregnancy, by Winnipeg NC, 2000/01 - 2001/02**



These definitions can be found in the Child Health Atlas Glossary:  
[http://www.umanitoba.ca/centres/mchp/reports/child\\_inequalities/glossary.shtml](http://www.umanitoba.ca/centres/mchp/reports/child_inequalities/glossary.shtml)

Triple Test

Regional Health Authority (RHA)

Winnipeg Community Area (CA)

Neighbourhood Cluster (NC)

Socioeconomic Status (SES)