


Figure A.3.102: Cleft Palate or Cleft Lip Rates by RHA

Sex-adjusted rates per 1,000 infants aged <1 year



'1' indicates area's rate was statistically different from Manitoba average in first time period

'2' indicates area's rate was statistically different from Manitoba average in second time period


't' indicates change over time was statistically significant for that area

's' indicates data suppressed due to small numbers

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.103: Cleft Palate or Cleft Lip Rates
by Winnipeg Community Area**

Sex-adjusted rates per 1,000 infants aged <1 year



'1' indicates area's rate was statistically different from Manitoba average in first time period
 '2' indicates area's rate was statistically different from Manitoba average in second time period
 't' indicates change over time was statistically significant for that area
 's' indicates data suppressed due to small numbers

Source: Manitoba Centre for Health Policy, 2008

Table A.3.28: Cleft Palate or Cleft Lip Rates

Region	Cleft Palate or Cleft Lip Rates			
	Number Observed per Year	CRUDE rate per 1,000	Number Observed per Year	CRUDE rate per 1,000
	1996/97/2000/01		2001/02-2005/06	
South Eastman	2.2	3.0	1.6	2.0
Central	3.2	2.3	4.6	3.3
Assiniboine	1.6	2.1	1.8	2.6
Brandon	1.2	2.1		
Winnipeg	18.8	2.4	19.0	2.6
Interlake	1.8	2.1	2.8	3.5
North Eastman	1.4	2.8	2.0	4.3
Parkland			1.4	2.8
Churchill	0.0	0.0	0.0	0.0
Nor-Man	1.8	3.9	1.8	4.3
Burntwood	5.2	4.8	4.2	3.9
South	7.0	2.4	8.0	2.8
Mid	4.0	2.1	6.2	3.5
North	7.0	4.5	6.0	4.0
Manitoba	38.2	2.6	40.6	2.9

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008


Region	Cleft Palate or Cleft Lip Rates			
	Number Observed per Year	CRUDE rate per 1,000	Number Observed per Year	CRUDE rate per 1,000
	1996/97/2000/01		2001/02-2005/06	
Fort Garry	1.6	2.3	1.6	2.4
Assiniboine South				
St. Boniface				
St. Vital	1.4	2.0		
Transcona			2.0	5.6
River Heights				
River East	3.6	3.4	2.2	2.3
Seven Oaks	2.4	3.9	1.4	2.4
St. James - Assiniboia				
Inkster	1.2	2.7	1.4	3.5
Downtown	3.4	3.3	4.8	4.8
Point Douglas	2.0	3.1	1.8	2.9
Winnipeg	18.8	2.4	19.0	2.6

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008

**Figure 3.104: Cleft Palate or Cleft Lip Rates
by Aggregate RHA Area**

Age and sex-adjusted rates per 1000 infants aged <1 year in 1996/2001 and 2001/2006



'1' indicates area's rate was statistically different from Manitoba average in first time period

'2' indicates area's rate was statistically different from Manitoba average in second time period

't' indicates change over time was statistically significant for that area

's' indicates data suppressed due to small numbers

Source: Manitoba Centre for Health Policy, 2008