



**Figure A.3.91: Percent of Families with Newborns Where Parents Experienced Relationship Distress by District**



**Figure A.3.92: Percent of Families with Newborns Where Parents Experienced Relationship Distress\* by Winnipeg Community Areas**




's' indicates data suppressed due to small numbers

'1' indicates rate was statistically different from Manitoba average

\* information for this graph was taken from newborn screening forms. Because not all newborns and their families were screened, and screening levels varied markedly across RHAs, these results may not provide a true picture of risk levels, particularly for those RHAs where screening levels were low. Please see discussion in this chapter.

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.93: Percent of Families with Newborns Where Parents Experienced Relationship Distress by Winnipeg Neighbourhood Clusters**



Crude percent Source: Manitoba Centre for Health Policy, 2008

**Table A.3.25: Crude Percent Families with Newborns Where Parents Experienced Relationship Distress**

Region	Crude Percent of Families With Newborns Where Parents Experienced Relationship Distress	
	Number Observed per Year	CRUDE rate percent
	2000-2002	
South Eastman	15.7	2.6%
Central	33.3	3.2%
Assiniboine	19.0	3.8%
Brandon	12.0	2.4%
Winnipeg	214.0	3.5%
Interlake	32.7	6.5%
North Eastman	13.7	5.2%
Parkland	12.0	3.8%
Churchill	2.0	20.0%
Nor-Man	21.0	11.0%
Burntwood	23.0	8.0%
South	68.0	3.2%
Mid	58.3	5.4%
North	46.0	9.4%
<b>Manitoba</b>	399.0	3.9%

blank cells = suppressed


Source: Manitoba Centre for Health Policy, 2008

Region	Crude Percent of Families With Newborns Where Parents Experienced Relationship Distress	
	Number Observed per Year	CRUDE rate percent
	2000-2002	
Fort Garry	10.7	2.0%
Assiniboine South	4.3	1.7%
St. Boniface	20.7	4.5%
St. Vital	23.7	4.2%
Transcona	7.0	2.1%
River Heights	8.3	1.7%
River East	24.0	2.8%
Seven Oaks	11.3	2.4%
St. James - Assiniboia	8.3	1.9%
Inkster	15.0	5.0%
Downtown	49.7	5.6%
Point Douglas	31.0	6.4%
<b>Winnipeg</b>	214.0	3.5%

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.94: Percent of Families with Newborns Where Parents Experienced Relationship Distress by Aggregate RHA Area**



Source: Manitoba Centre for Health Policy, 2008